

PORTABLE ENZYME SUPPLEMENT THAT
BREAKS DOWN THE FODMAPS
FRUCTAN, GOS AND LACTOSE,
COMMON GUT SYMPTOM TRIGGERS *

Sprinkle the contents of one stick pack on trigger food right before eating. Add a second dose if still eating after 30 minutes.

* This statement has not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

DISTRIBUTED BY
KIWI BIOSCIENCES | CAMBRIDGE, MA 02140 | +1 (857) 425 3616

MONASH
UNIVERSITY
LOW FODMAP
CERTIFIED™



@fodzyme
www.fodzyme.com
hello@fodzyme.com

One serve of this product is low in FODMAPs and can assist with following the Monash University Low FODMAP Diet™. A strict low FODMAP diet should only be commenced under the supervision of a healthcare professional. Monash University has assessed this product as being low in FODMAPs only. A low FODMAP diet does not treat a disease but may help to meet nutritional needs with reduced gastrointestinal symptoms. Monash University receives a licence fee for use of the Monash University Low FODMAP Certified trade



Make your food painless.

1. Apply directly to food right before eating
2. Add an extra dose every 30 minutes
3. Break down the FODMAPs fructan, GOS, and lactose



MONASH
UNIVERSITY
LOW FODMAP
CERTIFIED™

Developed with  by Kiwi Biosciences in Cambridge, MA

BY KIWI BIOSCIENCES
 D Z Y M E



ENZYME SUPPLEMENT
NET WEIGHT
30 X .035 OZ (1G)



Supplement

30 servings per container
Serving size: 1 stick pack (1g)

Amount/serving	
Enzyme blend	32 mg

Fructan hydrolase, lactase,
alpha-galactosidase

Other ingredients: dextrin

CONTAINS NO gluten, milk, GMOs, casein, soy, egg, artificial colors or flavors.